FOOD RESEARCH INSTITUTE (C.S.I.R.)

MANUFACTURE OF GLUCOSE SYRUP FROM ROTTEN PLANTAIN (MUSA PARADISIACA)

by

E.K. ANKRAH PRINCIPAL RESEARCH OFFICER

Food Research Institute (C.S.I.R)
P.O. Box M.20
Accra.



June 1996

MANUFACTURE OF GLUCOSE SYRUP FROM ROTTEN PLANTAIN (MUSA PARADISIACA)

1)1

E.K. ANKRAH. PRINCIPAL PESEARCH OFFICER

SUMMARY

dehydrated rotten plantain (Musa paradisiaca). The Dextrose Equivalent of the glucose syrup samples from the fresh rotten plantain and the dehydrated rotten plantain were 54 and 57 respectively.

INTRODUCTION

Glucose sytup is the hydrolytic product of starch. It finds uses in the confectionery, soft drinks and pharmaceutical industries. In the developed countries glucose syrup is manufactured from starch derived from corn and potato.

In Nigeria and Ghana glucose syrup has also been produced from cassava starch F.L.L.R.O. (1974) and Ankrah (1976).

In this work the problems associated with the manufacture of glucose syrup from rotten plantain (Musa paradisiaca) are investigated on laboratory scale.

Method

Two samples of glucose syrup were manufactured separately from fresh rotten plantain and dehydrated rotten plantain as follows: For the fresh rotten plantain 100g were mixed with water and made up to 200ml in volumetric flask. For the dehydrated rotten plantain about 50g were mixed with water and made up to 200ml.

The two mixtures were then autoclaved at 121°C for 20 minutes after adjusting the acidity to pH 2 by adding 50%s HCl. After cooling the pH was adjusted to pH 5 with 45% NaOH. The mixtures were filtered, the filtrates were then concentrated to about 80% solids and allowed to cool to obtain the glucose syrup samples.

Chemical Analysis

Total Solids

The total solids were determined by oven drying method as follows: About 5g of the glucose syrup was weighed and mixed with and contained in platinum dishes. The sample was dried in oven at 105°C to a constant weight according to the method of the A.O.A.C. (1970). The total solids content was calculated as the difference between the weight of the glucose syrup and the moisture content.

Sugar determination

About 10g portion of the glucose syrup sample from the fresh rotten plantain and about 5g portion of glucose syrup from the dehydrated rotten plantain were each made up of 100ml. After suitable dilutions indicated in Table 1, the invert sugar was determined by Lane and Eynon's method using 10ml Fehling's solution (Pearson, 1970).

The Dextrose Equivalent (DE) of the sample was calculated from the ratio:

RESULTS AND DISCUSSION

The quality of the glucose syrup samples from the rotten plantain is presented in Table 1. The Dextrose Equivalent (DE) of the glucose syrup samples from the fresh rotten plantain and dehydrated rotten plantain (Musa paradisiaca) are 54 sand 57 respectively. The figures fell within the high acid conversion syrups with DE 52 to 57 reported by Brautlecht (1953).

Considered as a value added product from rotten plantain glucose syrup will earn more foreign exchange on the export market.

The next phase of the work will aim at finding foods and other preparations in which the glucose syrup from rotten plantain can be used.

Table 1: Quality of Glucose Syrup Produced from Rotten Plantain and Dehydrated Rotten Plantain (Musa paradisiaca)

Descript ion of sample	Total Solids (%)	SUGAR DETERMINATION					Dextrose
		Weight of syrup (g)	Titre for 10ml Fehlings Soln (ml)	Invert Sugar per 100ml Soln. (mg)	Dilu- tion factor	Invert Sugar (%)	Equiva- lent (DE)
Fresh rotten plantain	80.99	10.1559	28	175.5	25	43.94	54
Dehydra -ted rotten plantain	76.53	5.9191	19	260.0	10	43.93	57

ACKNOWLEDGEMENT

The author appreciates the technical assistance given by Mr. D.N.A. Ankrah, Senior Technical Officer in the Analysis Division of the Food Research Institute.

References

- A.O.A.C. (1970) Official Method of Analysis. 11th ed. Washington DC Association of Official Analytical Chemists.
- Ankrah E.K. (1976) The problems associated with the manufacture of glucose syrup from cassava starch. Technical Report of the Industrial Research Institute, CSIR, Accra, Ghana.
- Brautlecht Charles Andrew (1953) Starches. Its sources, production and uses.

 pp. 32 & 320-321. Reinhold Publishing Corporation 330 West End St., New
 York 36, N.Y.
- F.I.I.R.O. (1974). The manufacture of Glucose from cassava starch. Vol.3 No.4.

 Technical Information Bulletin for Industry. Federal Institute of Industrial Research, Oshodi.
- Pearson D. (1970) The Chemical Analysis of Foods. 6th Edn. p. 130.

 J & A Churchill, London.